

Produktblad Wharfedale EZ-16x2

Kompakta mini-mixers för hemstudio eller monitor bruk med både stereo- och mikrofonkanaler. Lätt att överblicka och förstå då antalet reglage är nedbantade till ett minimum: mikrofoningångar har 2-bands EQ-, gain-, nivå- och pan-inställningar. Stereokanaler har balans- och nivåinställningar. 2-track in och ut med RCA- och ministereotele-anslutningar, med ställbar nivå och utgång, överstyrningsindikator på mikrofonkanalerna, hörlursutgångar med både stor och liten hörlursplugg samt 4-segments LED nivåindikator gör dem både flexibla och lättanvända.



EZ-16x2

- 2st mikrofonkanaler med XLR och tele-anslutning
- 2st stereokanaler med tele-anslutningar.
- Mått & vikt: 311mm x 77mm x 226mm 1.81kg.

XL3850316 Wharfedale EZ-16x2 795 kr inklusive moms

Lagerstatus: Finns i lager

Produktblad Samson MDR-1064

10-kanals mixer.

- 8 ingångskanaler varav 2 stereokanaler
- 6 XLR-ingångar med preamp
- 3-bands EQ
- Insert och low-cut filter på kanal 1-6
- 2 AUX-send
- 2 stereo AUX-return
- Hörlursutgång med nivåkontroll



XL1511164 Samson MDR-1064 1995 kr inklusive moms

Lagerstatus: Finns i lager

Produktblad Peavey PV-6 BT Mixer

Peavey PV-6 BT Mixer Kompakt 6-kanalers stereomixer med Bluetooth samt uppspelning från USB

Pro Features Made Affordable, All in a Heavy-Gauge Steel Chassis. Multiple use PV® Series mixers feature discrete, ultra-low-noise microphone preamps that are essential for live-sound reproduction and studio recording, plus a host of additional features such as effects and monitor sends on each channel, zero-latency record monitoring capability and 48 volts phantom power.

Equipped with Peavey's reference-quality mic preamps that spec in at an incredible 0.0007% THD, the PV 6 BT mixer is excellent for live or recording applications. The PV 6 BT mixer includes 2 channels of reference-quality mic preamps, 2 direct outputs for recording, a stereo input channel, and a dedicated media channel, and Bluetooth® wireless input and high quality digital effects. Other features include 48 volt phantom power, dual selectable control room outputs, built-in stereo compressor, an on-board selectable high impedance preamp equalized for guitar, 3-band EQ per channel with bypass, signal/clip indicators, and a stereo master LED meter bridge. Features such as Bluetooth® allow seamless connection to almost any "smart" device.

Direct outs on the mic channels allow easy connection to most DAW interfaces for recording. In addition, the PV 6 BT mixer can stream the stereo mix directly to and from a PC via USB. The USB to Control Room switch allows for direct monitoring when recording with a DAW, such as the included REAPER software. These mixers also feature a tablet cradle to hold a smart device for convenient display and easy operation.

Specifications:

- Rugged, slim, low-profile console design
- Convenient tablet cradle
- 2 combination XLR/1/4" low noise mic preamps
- 3-band EQ on all channels
- 2 channels of Peavey's exclusive MidMorph® EQ
- EQ bypass per channel
- LED clip and signal present indication
- 2 Channels of direct out
- Stereo pan control per channel
- Channel 3/4 stereo 1/4" or 3.5mm input channel
- Channel 5/6 stereo 1/4", RCA, or Bluetooth input channel
- Dual selectable control room outputs
- 1/4" main stereo outputs
- High quality master LED meter bridge
- Built-in master compression
- Studio quality headphone output
- Equipped with Bluetooth wireless connectivity, Bluetooth 3.0 + EDR, A2DP
- Stereo USB-B streaming audio in and out, 16-bit, up to 48kHz sample rates
- Built-in Digital Effects
- Peavey's exclusive on-board Hi Z guitar input
- Global 48V phantom power
- Product Dimensions: 18.42 cm x 28.96 cm x 5.56 cm
- Weight: 5.29 lb(2.4 kg)



XL7312622 Peavey PV-6 BT Mixer 2795 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad MMX-602/SW

MMX-602/SW, Professionell mikrofon-/linjemixer, 6 kanaler.



ED600600MO202230 MMX-602/SW 4370 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad Samson MDR-16

16-kanals mixer med inbyggd 24-bitars effektenhet och 4 bussar.

- 16 XLR-ingångar med preamp och fantommatning
- 16 Linjeingångar
- 8 Monokanaler
- 8 Stereokanaler
- 3-bands EQ
- HP & LP bands EQ 1-8
- 2 AUX-send
- 2 AUX-return
- 4 separata bussar
- Hörlursutgång med nivåkontroll



XL1511116 Samson MDR-16 4795 kr inklusive moms

Lagerstatus: Finns i lager

Produktblad Peavey PV-10 BT Mixer

Peavey PV-10 BT Mixer 10-channel compact mixer with USB and Bluetooth audio streaming. Excellent for live or recording applications.

Pro Features Made Affordable, All in a Heavy-Gauge Steel Chassis. Multi-use PVÂ® Series mixers feature discrete, ultra-low-noise microphone preamps that are essential for live-sound reproduction and studio recording, plus a host of additional features such as effects and monitor sends on each channel, zero-latency record monitoring capability and 48 volts phantom power.

The PVÂ® series mixing consoles include Peavey's reference-quality mic preamps with an incredible 0.0007% THD, making the PV series mixers excellent for live or recording applications. The PV 10 BT includes 4 channels of reference quality mic preamps, 4 direct outputs for recording, a stereo channel, media channel with BluetoothÂ® wireless input, high quality digital effects with LCD display, streaming USB out, MP3 playback via USB A input, Peavey's exclusive KosmosÂ® audio enhancement, 48-volt phantom power, dual selectable control room outputs, 2 channels of compression, one channel of on board selectable guitar preamp, 3-band EQ per channel with bypass, channel



mute buttons, aux send, signal clip indicators, and a stereo master LED meter bridge. This amazingly versatile mixer is at home both in the studio as well as live applications. Modern features such as Bluetooth allow seamless connection to almost any "smart" device. 4 direct outs allow easy connection to most DAW interfaces for recording. In addition, the PV 10 BT can stream audio directly to a PC. MP3 playback is also available, just plug a flash drive with MP3 files on it into the USB A port and use the LCD to select and play back music. The PV series Solo feature allows the user to listen to individual channels via headphone or control room outputs, and the EQ bypass allows the user to hear and compare the EQ'd signal to the original signal with the push of a button. 2 channels of compression keep signals with difficult levels under control, and Peavey's exclusive guitar shape adjusts the EQ and preamp specifically for guitar. Hi pass filters on every channel remove unwanted rumble and noise, and balanced AUX and Master outputs ensure a clean noise-free signal to your powered speakers or power amplifier.

Specifications:

- Rugged, slim, low-profile console design
- Convenient tablet cradle
- 4 combination XLR/1/4" low noise mic preamps
- Selectable Hi Pass Filter on first 4 inputs
- 3-band EQ on all channels
- 4 channels of Peavey's exclusive MidMorph® EQ
- EQ bypass per channel
- 2 channels of built-in compression
- Individual channel mutes
- Individual Listen/Solo function
- LED clip and signal present indication
- 4 Channels of direct out
- Stereo pan control per channel
- Channel 5/6 stereo 1/4", RCA, or 3.5mm input channel
- Dual selectable control room outputs
- One pre-fader AUX send
- KOSMOS® bass and treble enhancement
- Main stereo outputs with 1/4" unbalanced and balanced XLR connectors
- Precision 60 mm faders on master
- High quality master LED meter bridge
- Master mic mute
- Studio quality headphone output
- Equipped with Bluetooth wireless connectivity, Bluetooth 3.0 + EDR, A2DP
- On-board USB-A MP3 and WAV playback
- Stereo USB-B streaming audio in and out, 16-bit, up to 48kHz sample rates
- Built-in Digital Effects with LCD Display
- Peavey's exclusive on-board Hi Z guitar input
- Global 48V phantom power
- Dimensions: 32.39 cm x 38.35 cm x 5.56 cm
- Weight: 9.48 lb(4.3 kg)

XL7312842 Peavey PV-10 BT Mixer 4825 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad Peavey PV-14 AT Mixer

Peavey PV-14 AT Mixer 14-kanalers stereomixer med digitala effekter, Bluetooth samt uppspelning från USB.

Pro Features Made Affordable, All in a Heavy-Gauge Steel Chassis. Multi-use PV® Series mixers feature discrete, ultra-low-noise microphone preamps that are essential for live-sound reproduction and studio recording, plus a host of additional features such as effects and monitor sends on each channel, zero-latency record monitoring capability and 48 volts phantom power.

PV® 14 AT-mixern är utrustad med Antares® Auto-Tune®-pitchkorrigering, en teknik som bokstavligen kan hjälpa alla att sjunga rätt toner och används för professionella inspelningar och liveuppträdanden över hela världen. Denna teknik integreras direkt i en komplett och kraftfull bärbar mixer, så att din publik kommer att uppleva perfekt sång för att komplettera det kristallklara ljudet på mixern. Funktioner som Bluetooth® möjliggör enkel anslutning till nästan vilken "smart" enhet som helst. Direkt ut på varje kanal möjliggör enkel anslutning till de flesta DAW-gränssnitt för inspelning. Dessutom kan denna mixer strömma ljud direkt till en dator. MP3-uppspelning är också tillgänglig via USB och LCD-skärm. Med en slimmad design är PV AT-seriens mixers idealiska för små och medelstora arenor. Viktiga funktioner som inkluderats är 4 kanaler Antares Auto-Tune, 8 kanaler har mikrofonförstärkare med referenskvalitet, 8 direkta utgångar för inspelning, trådlös Bluetooth®-ingång och inbyggda digitala effekter med LCD-skärm.

Specifications:

- Rugged, slim, low-profile console design
- Convenient tablet cradle
- 4 Channels of Antares® Auto-Tune
- 8 combination XLR/1/4" low noise mic preamps
- Selectable Hi Pass Filter on first 8 inputs
- 3-band EQ on all channels
- 8 channels of Peavey's exclusive MidMorph® EQ
- EQ bypass per channel
- 4 channels of built-in compression
- Individual channel mutes
- Individual Listen/Solo function
- LED clip and signal present indication
- 8 Channels of direct out
- Stereo pan control per channel
- Channel 9/10 stereo 1/4", RCA, or 3.5mm input channel
- Dual selectable control room outputs
- One pre-fader AUX send
- KOSMOS® bass and treble enhancement
- Main stereo outputs with 1/4" unbalanced and balanced XLR connectors
- Precision 60 mm faders
- High quality master LED meter bridge
- Master mic mute
- Studio quality headphone output
- Equipped with Bluetooth wireless connectivity, Bluetooth 3.0 + EDR, A2DP
- On-board USB-A MP3 and WAV playback
- Stereo USB-B streaming audio in and out, 16-bit, up to 48kHz sample rates
- Built-in Digital Effects with LCD Display
- Peavey's exclusive on-board Hi Z guitar input
- Global 48V phantom power
- Dimensions: 41.12 cm x 43.94 cm x 5.56 cm
- Weight: 13.23 lb(6 kg)



XL7312682 Peavey PV-14 AT Mixer 7195 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad QSC 3I-2222-12qsc

QSC 3I-2222-12qsc Specialanpassat case i SKB's 3i serie för QSC TouchMix-30 Pro.

Featuring high quality form-cut PE foam designed specifically to house the QSC TouchMix-30 Pro Digital mixer, the 3i2222-12QSC iSeries QSC Mixer Case interior also includes a pocket for a standard iPad with cover and a large 10.5" x 9.25" recessed compartment below the mixer for cables and other accessories. An oversized carry handle, user-friendly one-finger push button release tow handle, and convenient in-line wheels all help to ensure that transporting your gear is as easy and secure as possible. All SKB iSeries Injection Molded Mil-Standard Waterproof Cases are molded of ultra high-strength polypropylene copolymer resin, and feature a water- and dust- tight, submersible design (MIL-C-4150J) that is resistant to corrosion and impact damage (MIL-STD-810G). Other standard features include a molded-in hinge, patented "trigger release" TSA-retrofitable latches, comfortable snap-down rubber over-molded cushion grip handles, automatic ambient pressure equalization valve (MIL-STD-648C), and resistance to UV, solvents, corrosion, and fungus.

- Custom cut interior for TouchMix-30 Mixer
- Pocket for standard iPad with cover on
- Compartment for cables and accessories
- Ultra high-strength polypropylene copolymer resin
- UV, solvent, corrosion and fungus resistant (MIL-STD-810F)
- Complete gasket seal makes these cases absolutely watertight (MIL-STD-C-4150J)
- Automatic ambient pressure equalization valve (MIL-STD-648C & IP67)
- Resistant to corrosion and impact damage
- Molded-in hinges
- Trigger release latch system
- Stainless steel locking loops
- Accepts SKB's TSA Combination Padlocks
- Rubber over-molded cushion grip handle
- Oversized handle
- Convenient in-line skate style wheels
- Unconditional Lifetime Warranty
- Exterior Length: 63.02 cm
- Exterior Width: 63.45 cm
- Exterior Depth: 35.94 cm



XL1804415 QSC 3I-2222-12qsc 10380 kr inklusive moms

Lagerstatus: Ungefär 5 dagar