

Produktblad Audio-Technica MB4K

MB4K Kondensatormikrofon med hög utsignal. Kan köras med batteri (ingår) eller fantommatning. 200 ohm. Lämplig för exempelvis sång och overhead. Inklusive AT8405a hållare och vindsydd. Njure.

- Stötdämpande elementkonstruktion som ger ett lågt handljud
- Frekvensomfång: 80-20.000 Hz



KIMB4K Audio-Technica MB4K 1125 kr inklusive moms

Lagerstatus: Finns i lager

Produktblad Lampifier 111 Mikrofon

"På musikteknikmässan Summer Namm 2010 berättade företaget Lampifier om sina två nya mikrofoner för livebruk. Modellerna som heter 711 och 111 kan sägas vara dynamiska i dubbel bemärkelse - de har inte bara dynamisk konstruktion, utan har dessutom dynamikprocessorer inbyggda. Både noisegate och kompressor kan användas för att påverka ljudet innan det lämnar mikrofonen.



Poängen med att ha dessa funktioner direkt i micken är att man kan ha kvar exakt samma inställningar från gång till gång. Använder man till exempel micken i samma lokal en gång i veckan är det smidigt att slippa ställa in effektracket varje gång.

ILTLAMP111 Lampifier 111 Mikrofon 1195 kr inklusive moms

Lagerstatus: Finns i lager

Produktblad Samson C05 CL

C05 CL Kondensatormikrofon för sång.

- Rak frekvensgång
- Njurkaraktäristik
- Guldpläterad XLR-kontakt
- Inkl väska
- Stativfäste



XL1518235 Samson C05 CL 895 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad Samson Q2U/HP20 PACK

Använd Q2U vid din nästa live-spelning och ta sen med den tillbaka till studion för att spela in direkt till din dator. Oavsett om din passion är inspelningen eller att uppträdande, har den här mikrofonen det du behöver.

Q2U är en dynamisk handhållen mikrofon som har både en XLR-utgång och USB I/O. Mikrofonens på/av-knapp styr ljudet till XLR-utgång. Micken har också ett inbyggd 3,5mm uttag för stereohörlurar med volymkontroll för no-latency medhörning. Den har riktingskaraktär njure och A/D omvandlaren ligger på 16-bitar och 44.1/48kHz.

Samson HP20 hörlurar medföljer.

- Plug & Play, Mac- och PC-kompatibel
- Riktad dynamisk mikrofon
- XLR ut och USB I/O
- 3.5mm utgång med volymkontroll
- Av/på-knapp för XLR-utgången
- 16bitar och 44.1/48kHz A/D-omvandlare
- Levereras med HP20 hörlurar, tripod-bordsstativ, mikrofonhållare, USB- och XLR-kabel (3m) och Cakewalk Music Creator



XL1518022 Samson Q2U/HP20 PACK 1495 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad Samson Q4 CL

Q4 CL Dynamisk sångmikrofon med neodymium-element.

- Njure
- Inkl väska, stativfäste och XLR-kabel
- On/off-omkopplare



XL1518204 Samson Q4 CL 550 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad Samson Q6

Samson Q6. Dynamisk sångmikrofon med neodymium-element. Utmärkt även för uppmickning av instrument och förstärkare.

- Supernjure
- On/off-omkopplare
- Stativfäste



XL1518286 Samson Q6 595 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad Samson R10S

Samson R10S. Dynamisk sång- och inspelningsmikrofon med njurkaraktäristik. 3.5mm minitele samt adapter till 6.3mm.



XL1518281 Samson R10S 295 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad Samson R21S

Dynamisk sång- och inspelningsmikrofon med on/off omkopplare, njurkaraktäristik. Komplet med mikrofonhållare.



XL1518282 Samson R21S 395 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad Samson R21S

R21SDynamisk sång- och inspelningsmikrofon medon/off-omkopplare, njurkaraktäristik. 3-pack,komplett med mikrofonhållare och väska.



XL1518003 Samson R21S 990 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad Samson R31S

Samson R31S. Dynamisk sång- och inspelningsmikrofon perfekt för livebruk, njurkaraktäristik. Komplet med mikrofonhållare.



XL1518283 Samson R31S 495 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

**Produktblad
sE Electronics V7****sE Electronics V7 Supercardioid Dynamic Vocal Mic**

The V7 is built to perform - and built to last. Reliable, rugged & roadworthy meets lush, vibrant & musical. Connect with your audience in a whole new way. For many years, we've had live sound engineers utilizing our studio microphones and Reflexion Filters® on stages all over the world with acts like Linkin Park, Tom Petty & The Heartbreakers, Black Sabbath, Billy Idol, Paramore, My Morning Jacket, and many, many more. With vast knowledge gained through working with countless engineers and bands, we have finally entered into the world of dynamic mics with the V Series - built to withstand rigorous touring schedules, while still performing better than anything else in their class.

**XL1315700 sE Electronics V7 1195 kr inklusive moms**

Lagerstatus: Ungefär 5 dagar

**Produktblad
sE Electronics V7 Chrome****sE Electronics V7 Chrome** Like to sing? Here's some bling. Chrome-plated version of the best-selling V7.

The V7 is built to perform - and built to last. Reliable, rugged & roadworthy meets lush, vibrant & musical. Connect with your audience in a whole new way. For many years, we've had live sound engineers utilizing our studio microphones and Reflexion Filters® on stages all over the world with acts like Linkin Park, Tom Petty & The Heartbreakers, Black Sabbath, Billy Idol, Paramore, My Morning Jacket, and many, many more. With vast knowledge gained through working with countless engineers and bands, we have finally entered into the world of dynamic mics with the V Series - built to withstand rigorous touring schedules, while still performing better than anything else in their class.

**XL1315702 sE Electronics V7 Chrome 1500 kr inklusive moms**

Lagerstatus: Ungefär 5 dagar

Produktblad sE Electronics V7-BFG Signature

sE Electronics V7-BFG Signature The signature vocal microphone for the one and only Billy F. Gibbons



Best known as the guitarist and lead vocalist of the legendary American rock band ZZ Top, Billy Gibbons consistently ranks as one of the greatest guitarists of all time. The Rock & Roll Hall of Fame inductee and iconic blues-rock guitarist from Texas has been performing on the road for decades, and is still musically hyper-active with The Kings of Chaos, the BFG's and last but definitely not least - ZZ Top! Offering the same stunning sound quality as sE's highly-regarded V7, the V7 BFG is a dynamic vocal hand-held microphone with a supercardioid polar pattern, delivering a crisp, open sound that perfectly captures your voice in the most natural way you've ever heard on stage. INNOVATIVE, SPECIALIZED ALUMINUM VOICE COIL The DMC7 dynamic capsule in the V7 BFG has been custom-developed for a crisp, open sound that perfectly captures your voice in the most natural way you've ever heard on stage - and its sophisticated supercardioid capsule design helps isolate your voice from other instruments, ensuring vast amounts of gain before feedback. Proven Neodymium magnets, tight production tolerances & high-end workmanship ensure excellent sensitivity, superior sound quality and superb consistency. CUSTOM CHROME FINISH With this special plating for a unique look and feel, the V7 BFG's highly-polished chrome finish makes an immediate impression on stage or in the studio. PATENTED INTEGRATED SHOCK MOUNT The V7 MC2's innovative, patented shockmount efficiently decouples the capsule from mechanical vibration, providing exceptionally low handling noise as compared to other capsules in its class. This means you can feel free to move around on stage without fear of rumbles, pops, or anything other than your voice coming through. ALL-METAL HOUSING & BEVELED SPRING STEEL GRILLE The V7 BFG's road-ready design is all metal - no plastic parts here. The chrome-plated chassis's high quality, highly durable zinc alloy is designed to hold up under on-stage stress for years, and the spring steel mesh grille is dent-proof and corrosion-free for perfect reliability. Plus, the highly-polished chrome finish makes an immediate impression on any stage. The beveled edge around the grille also prevents your mic from rolling around when you put it down on top of your amp or the stage floor. ROYAL PURPLE INTERNAL WINDSCREEN Efficiently reduces unwanted wind noise and plosive pops. (And just in case you don't like Billy's custom color, we've included a spare black windscreen in the box.) GOLD-PLATED XLR CONNECTOR The V7 BFG's gold-plated XLR connector also ensures a loss-free and reliable signal connection for years to come. IN THE BOX V7 BFG microphone Mic clip Thread adapter Leatherette pouch Microfiber polishing cloth V7 BFG sticker 2x Jim Dunlop Custom Gel Picks (BFG Signature) Spare black internal windscreen User manual with warranty card

SPECIFICATIONS Capsule: Dynamic Voice Coil: Aluminum Magnet: Neodymium Polar Pattern: Supercardioid Frequency range: 40 Hz - 19 kHz Electrical Impedance: 300 Ohms Sensitivity: 2.0 mV/Pa (-54 dB) Connectivity: Compatible with Sennheiser® wireless systems Diameter: 54 mm x Length: 87 mm Weight: 116 g

XL1315780 sE Electronics V7-BFG Signature 1500 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad sE Electronics V7-MC1

sE Electronics V7-MC1 A high-performance wireless version of our V7 supercardioid dynamic vocal mic, specially designed for Shure® handheld transmitters.

The V7 MC1 brings the powerful sound and performance of the V7 handheld wired dynamic microphone to your favorite Shure® wireless

transmitter, so you can take your V7's sound with you wherever you go.

ALL-METAL BEVELED SPRING STEEL GRILLE The V7 MC1's road-ready

design is all metal - no plastic parts here. The chassis' high quality, highly

durable zinc alloy is designed to hold up under on-stage stress for years,

and the spring steel mesh grille is dent-proof and corrosion-free for perfect

reliability. The beveled edge around the grille also prevents your mic from

rolling when you put it down on top of your amp or the stage floor - so

simple, yet so effective.

INTERNAL WINDSCREEN Efficiently reduces

unwanted wind noise and plosive pops. In case you don't like the stylish

red color, or if you find it unsuitable for certain applications, we've included

a spare black windscreen in the box for you.

PATENTED INTEGRATED SHOCK MOUNT The V7 MC1's innovative, patented shockmount efficiently

decouples the capsule from mechanical vibration, providing exceptionally

low handling noise as compared to other capsules in its class. This means

you can feel free to move around on stage without fear of rumbles, pops,

or anything other than your voice coming through.

The V7 MC1's gold-plated contacts ensure a loss-free and reliable signal connection for years,

and years, and..

SYSTEM REQUIREMENTS IN THE BOX V7 MC1

sE Logo sticker User manual with warranty card black internal

windscreen **SPECIFICATIONS** Capsule: Dynamic Voice

Coil: Aluminum Magnet: Neodymium Directional Pattern:

Supercardioid Frequency range: 30 Hz - 19 kHz Impedance: 300

Ohms Sensitivity: 2.0 mV/Pa (-54 dBV) Connectivity: 3-pin male

XLR Height: 61 mm (2.4 in.) x Length: 110 mm (4.3 in.) Weight:

347 g **V CLAMP SPECIFICATIONS** Height: 75 mm x Length:

57 mm Weight: 93 g



XL1315760 sE Electronics V7-MC1 1500 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad sE Electronics V7-MC1 Black

sE Electronics V7-MC1 Black A high-performance wireless version of our V7 supercardioid dynamic vocal mic, specially designed for Shure® handheld transmitters

The V7 MC1 brings the powerful sound and performance of the V7 handheld wired dynamic microphone to your favorite Shure® wireless

transmitter, so you can take your V7's sound with you wherever you go. ALL-

METAL BEVELED SPRING STEEL GRILLE The V7 MC1's road-ready

design is all metal - no plastic parts here. The chassis' high quality, highly

durable zinc alloy is designed to hold up under on-stage stress for years,

and the spring steel mesh grille is dent-proof and corrosion-free for perfect

reliability. The beveled edge around the grille also prevents your mic from

rolling when you put it down on top of your amp or the stage floor - so

simple, yet so effective. INTERNAL WINDSCREEN Efficiently reduces

unwanted wind noise and plosive pops. In case you don't like the stylish

red color, or if you find it unsuitable for certain applications, we've included

a spare black windscreen in the box for you. PATENTED INTEGRATED

SHOCK MOUNT The V7 MC1's innovative, patented shockmount efficiently

decouples the capsule from mechanical vibration, providing exceptionally

low handling noise as compared to other capsules in its class. This means

you can feel free to move around on stage without fear of rumbles, pops,

or anything other than your voice coming through. The V7 MC1's gold-

plated contacts ensure a loss-free and reliable signal connection for years,

and years, and.. SYSTEM REQUIREMENTS IN THE BOX V7 MC1

sE Logo sticker User manual with warranty card black internal

windscreen **SPECIFICATIONS** Black Capsule: Dynamic

Voice Coil: Aluminum Magnet: Neodymium Directional Pattern:

Supercardioid Frequency range: 30 Hz - 19 kHz Impedance: 300

Ohms Sensitivity: 2.0 mV/Pa (-54 dBV) Connectivity: 3-pin male

XLR Height: 61 mm (2.4 in.) x Length: 110 mm (4.3 in.) Weight:

347 g **V CLAMP SPECIFICATIONS** Height: 75 mm x Length:

57 mm Weight: 93 g



XL1315761 sE Electronics V7-MC1 Black 1500 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad sE Electronics V7-MC2

sE Electronics V7-MC2 A high-performance wireless version of our V7 supercardioid dynamic vocal mic, specially designed for Sennheiser® INNOVATIVE, SPECIALIZED ALUMINUM VOICE COIL The DMC7 dynamic capsule in the V7 MC2 has been custom-developed for a crisp, open sound that perfectly captures your voice in the most natural way you've ever heard on stage - and its sophisticated supercardioid capsule design helps isolate your voice from other instruments, ensuring vast amounts of gain before feedback. Proven Neodymium magnets, tight production tolerances & high-end workmanship ensure excellent sensitivity, superior sound quality and superb consistency. ALL-METAL BEVELED SPRING STEEL GRILLE The V7 MC2™'s road-ready design is all metal - no plastic parts here. The chassis' high quality, highly durable zinc alloy is designed to hold up under on-stage stress for years, and the spring steel mesh grille is dent-proof and corrosion-free for perfect reliability. The beveled edge around the grille also prevents your mic from rolling when you put it down on top of your amp or the stage floor - so simple, yet so effective. INTERNAL WINDSCREEN Efficiently reduces unwanted wind noise and plosive pops. In case you don't like the stylish red color, or if you find it unsuitable for certain applications, we've included a spare black windscreen in the box for you. PATENTED INTEGRATED SHOCK MOUNT The V7 MC2™'s innovative, patented shockmount efficiently decouples the capsule from mechanical vibration, providing exceptionally low handling noise as compared to other capsules in its class. This means you can feel free to move around on stage without fear of rumbles, pops, or anything other than your voice coming through. GOLD-PLATED CONTACTS The V7 MC2's gold-plated contacts ensure a loss-free and reliable signal connection for years, and years, and... The V7 MC2 is available in four different color combinations to complement a variety of Sennheiser® transmitters: Standard, Black, Blue, and Black & Blue. SYSTEM REQUIREMENTS IN THE BOX V7 MC2 sE Logo sticker User manual with warranty card Spare black internal windscreen **SPECIFICATIONS** Capsule: Dynamic Voice Coil: Aluminum Magnet: Neodymium Polar Pattern: Supercardioid Frequency range: 40 Hz - 19 kHz Electrical Impedance: 300 Ohms Sensitivity: 2.0 mV/Pa (-54 dB) Connectivity: Compatible with Sennheiser® wireless systems Diameter: 54 mm x Length: 87 mm Weight: 116 g



XL1315770 sE Electronics V7-MC2 1500 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad sE Electronics V7-MC2 Black

sE Electronics V7-MC2 Black A high-performance wireless version of our V7 supercardioid dynamic vocal mic, specially designed for Sennheiser® - black



INNOVATIVE, SPECIALIZED ALUMINUM VOICE COILThe DMC7 dynamic capsule in the V7 MC2 has been custom-developed for a crisp, open sound that perfectly captures your voice in the most natural way you've ever heard on stage - and its sophisticated supercardioid capsule design helps isolate your voice from other instruments, ensuring vast amounts of gain before feedback. Proven Neodymium magnets, tight production tolerances & high-end workmanship ensure excellent sensitivity, superior sound quality and superb consistency. ALL-METAL BEVELED SPRING STEEL GRILLEThe V7 MC2's™ road-ready design is all metal - no plastic parts here. The chassis' high quality, highly durable zinc alloy is designed to hold up under on-stage stress for years, and the spring steel mesh grille is dent-proof and corrosion-free for perfect reliability. The beveled edge around the grille also prevents your mic from rolling when you put it down on top of your amp or the stage floor - so simple, yet so effective. INTERNAL WINDSCREENEfficiently reduces unwanted wind noise and plosive pops. In case you don't like the stylish red color, or if you find it unsuitable for certain applications, we've included a spare black windscreens in the box for you. PATENTED INTEGRATED SHOCK MOUNTThe V7 MC2's™ innovative, patented shockmount efficiently decouples the capsule from mechanical vibration, providing exceptionally low handling noise as compared to other capsules in its class. This means you can feel free to move around on stage without fear of rumbles, pops, or anything other than your voice coming through. GOLD-PLATED CONTACTSThe V7 MC2's gold-plated contacts ensure a loss-free and reliable signal connection for years, and years, and... The V7 MC2 is available in four different color combinations to complement a variety of Sennheiser® transmitters: Standard, Black, Blue, and Black & Blue. SYSTEM REQUIREMENTSIN THE BOX V7 MC2 sE Logo sticker User manual with warranty card Spare black internal windscreens **SPECIFICATIONS** Black Capsule: Dynamic Voice Coil: Aluminum Magnet: Neodymium Polar Pattern: Supercardioid Frequency range: 40 Hz - 19 kHz Electrical Impedance: 300 Ohms Sensitivity: 2.0 mV/Pa (-54 dB) Connectivity: Compatible with Sennheiser® wireless systems Diameter: 54 mm x Length: 87 mm Weight: 116 g

XL1315771 sE Electronics V7-MC2 Black 1500 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad sE Electronics X1-S Vocal Pack

sE Electronics X1-S Vocal Pack The original gold standard in affordable large-diaphragm condensers, plus a high-quality shockmount with integrated pop filter and 3-meter cable.

The X1 S Vocal Pack All the essentials for the start of a great recording chain, including sE's simple but highly effective metal pop shield. Contains: X1 S Studio Condenser Microphone Isolation Pack (Shock mount, pop filter) 3-meter XLR cable Mic clip Thread adapter sE Logo sticker User manual with warranty card



XL1315802 sE Electronics X1-S Vocal Pack 2395 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad Shure PG57

Mikrofon för scen, PA och heminspelningar. Med on/off-omkopplare, mikrofonhållare och 4,5m XLR/XLR-kabel.

- Sång
- Instrument
- Förstärkare
- Tal

Dynamisk modell. För gitarrförstärkare och blåsinstrument



XL5410257 Shure PG57 550 kr inklusive moms

Lagerstatus: Ungefär 5 dagar

Produktblad Stage Line DM-045 Retro Mikrofon

Dynamisk mikrofon som till utsidan med sitt blanka metallskal ser ut som en mikrofon från 50-talet. Men på insidan är det skillnad. Kardoidkaraktäristiskt neodymium magnet, cromium-plated version, är det här garanterat en bättre mikrofon än de som gamla operastjärnor sjöng i.

Allmänna specifikationer:

System dyn./cardioid
Frequency range 50-16,000Hz
Impedance 250 ohm
Sensitivity 1.3mV/Pa/1kHz
Max. SPL 130dB
Housing metal, silver
Dimensions 71x179x55mm
Weight 670g



Connection, microphone XLR, bal.

För att passa på modernare stativ krävs en reduceringsgänga MAC-10 (19kr)

MO233590 Stage Line DM-045 Retro Mikrofon 737.5 kr inklusive moms

Lagerstatus: Finns i lager

Produktblad
Stage Line DM-065 Retro mikrofon

Dynamisk mikrofon som till utsidan med sitt blankametallskal ser ut som en mikrofon från 60-talet. Men på insidan är det skillnad.
Kardoidkaraktäristisktneodymium magnet, cromium-plated version, är dethär garanterat en bättre mikrofon än de som gamla 60 tals rockare sjöng i.

System dyn./cardioid
Frequency range 50-16,000Hz
Impedance 250 ohm
Sensitivity 1.3mV/Pa/1kHz
Max. SPL 135dB
Body metal, silver
Dimensions 54x175x68mm
Weight 550g
Connection, microphone XLR, bal.
Connection, cable -
Cable -

För att passa på modernare stativ krävs en reduceringsgunga MAC-10 (19kr)

MO235740 Stage Line DM-065 Retro mikrofon 972.5 kr inklusive moms

Lagerstatus: Finns i lager

